

# NSW LEATHER CO. PTY LTD

Experienced • Progressive • Respectful

---

**Experienced:** Three generations of knowledge who understand transparency is key to our clients.

**Progressive:** We are aware innovation and development is fundamental to being the market leader for our clients.

**Respectful:** To the environment, employees, customers and the community.

**ESTABLISHED 1952**

We have nurtured long-term relationships with only the most reputable tanneries across the globe, who observe and adhere to responsible and sustainable practices to protect our environment.

Our leathers are suitable across Commercial and Residential applications, along with a depth of variety for Automotive, Marine and Aviation applications.

We have a dedicated team who will provide a consultative approach to your business and are available to help find the best suited leather for any project.

Our **environmental accreditations** are outlined in the documents associated with the below link. Simply click on the button to view these accreditations and full specification details for our entire leather range.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)

02 | ABOUT

04 | ENVIRONMENT & SUSTAINABILITY

## PIGMENTED LEATHER

07 | MILLENNIUM

09 | RAVELLO

10 | AMBIENCE (METALLIC)

## SEMI ANILINE LEATHER

14 | SOVEREIGN

16 | MONTE CARLO

18 | CASABLANCA

## FULL ANILINE LEATHER

21 | SUNDANCE (WAXED PULL UP)

23 | MURANO (AGED)

25 | LAGUNA (DISTRESSED)

27 | REGAL (BRIGHT FACED)

29 | PANAMA (NATURAL TRANSPARENT)

31 | NORFOLK (HAND STAINED NUBUCK)

33 | NUBUCK

## SPECIALITY DESIGNS

36 | PERFORATED OPTIONS

38 | EMBOSSED EFFECTS





# ENVIRONMENT & SUSTAINABILITY

For 70 years NSW Leather Co. has been involved in the leather industry and we understand the need now more than ever, to preserve our planet. It is our responsibility to the next generation.

Leather is a by-product of the meat and dairy industry, and by nature it is far more natural and biodegradable than vinyls and synthetics that try to imitate the natural beauty and supple feel of leather.

Each and every year, the leather industry saves over 73 million tonnes from global landfill through environmentally aware initiatives and regulations to protect the environment.

## IN SUPPLYING THE BEAUTIFUL PRODUCTS WE DO, WE ARE COMMITTED TO: -

- **Waste recycling** - obligatory in house purification plants that can purify 97-99% of discharge and be used multiple times in productions phases.
- **Energy efficiency** using thermal, solar and renewal energy sources not only in production where the leather is made, we also are committed to a more sustainable environment and have embraced the use of solar energy at our head office in Sydney, NSW.
- **Replacement of all harmful substances** so that all our leather comply with REACH specifications. There is no Chromium VI or any solvents or substances that appear on the MRSL. We use mostly water-based materials, limiting emissions of VOCs (Volatile Organic Compounds). All partners contribute to ZDHC (Zero Discharge of Hazardous Chemicals).
- **Fully traceability** from the farms the cows are reared in to the hides delivered to you. We know where every hide originates.
- **Investing in research and innovation** that is constantly leading to reduced water, energy, chemicals used for the treatment of waste, helping to lower emissions and increased waste recycling.
- **Replacement of all diesel** with hybrid and electrical Internal transport in tanneries and warehouses.
- **Recycling** of our old samples and colour catalogues, these are given to small handicraft organisations, schools and workshops so that nothing goes to waste.
- The **use of recycled materials** in our sampling and marketing collateral, takes further step towards assisting our environment with creating a sustainable future.
- The tanneries are always striving to **reduce their waste** and to incorporate more bio-sensitive practices with their leathers. They now incorporate in many of the ranges that are produced, the use of vegetable extracts in the tanning process, such as the use of olives or mimosa's.



## OUR PARTNERS ARE CERTIFIED WITH OR MEET THE FOLLOWING STANDARDS:



REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry. Promoting alternative methods for the hazard assessment of substances, REACH applies to all chemical substances; not only those used in industrial processes but also in our day-to-day lives. Therefore, the regulation has an impact on most companies across the EU and it places the burden of proof on companies. It stands for Registration, Evaluation, Authorization and Restriction of Chemicals. It entered into force on 1 June 2007. Under REACH there are 3 roles:- Manufacturer, Importer, Downstream users.



The UNI EN ISO 14001: 2015 certification refers to the international standard norm that provides organizations with a reference framework to protect the environment and respond to changes in environmental conditions in balance with the needs of the socio-economic context. It specifies the requirements that allow an organization to achieve the expected results it defines for its environmental management system with a view to continuous improvement.



NSW Leather sources leather obtained from LWG Gold rated Tanneries. The Gold Rating is the maximum score of the LWG certification. The main objective of the Leather Working Group is to develop and maintain a protocol that assesses environmental compliance and corporate practices regarding sustainability by promoting improvements in the leather industry.



Blue Angel testifies to the ecological quality of the leathers sourced by NSW Leather.

Blue Angel certified products better protect the environment and human health, thanks to a series of tangible benefits: -

- Less water consumption in the various production phases.
- The use of raw materials produced in a sustainable way.
- The cautious use of resources in the use or disposal phase.
- The absence of harmful effects on health and the environment because they are low in emissions.
- Being easy to recycle.



NSW Leather sources leathers from member of Leather Naturally, an association that promotes the use of sustainable leather produced globally, with the aim of inspiring and informing designers, creators and consumers about its beauty, quality and versatility.







# PIGMENTED LEATHER



# MILLENNIUM

“tanned to produce  
a very soft, mellow  
feel and silky touch”

PIGMENTED LEATHER

Millennium is a range of leather that has a corrected grain with a pigmented finish and a fine embossed effect. Our Millennium hides are tanned to produce a very soft, mellow feel and superb touch. This unique combination makes Millennium the desired benchmark in corrected grain leathers. This range is very durable and excellent for use in high traffic residential and commercial applications.



WHEELMARK CERTIFICATION



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Bovine
FINISH	Pigmented
ORIGIN	European
SIZE	Average 4.6sq mtrs
THICKNESS	0.9 - 1.0mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	Wheelmark   Blue Angel AS/NZS 1530.3:1999   AS/NZS 3837:1998 EN ISO 1021-1 & 1021-2   IMO 652   CAL TB – 117 (2013. Sec.1) UNI EN ISO 9001: 2015   FAR A & FAR B (Available Upon Request) Environmental UNI EN ISO 14001:2015 ISO 5660.1-2015   BS 5852:1979   BS EN 1021-1-2:2006
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010   IMO 652
FLEXING ENDURANCE	EN ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   ≥ 5 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 500 ≥ 4 Wet 250 ≥ 4 Sweat 80 ≥ 4 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
FINISH ADHESION	EN ISO 11644   ≥ 2.0 N/CM
DETERMINATION OF PH DIFFERENCE FIGURE (ONLY FOR PH < 4)	EN ISO 4045 ≥ 3.5
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.


[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# MILLENNIUM

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

\*PERFORATION OPTIONS      REQUEST A SAMPLE



									
White	Alaska	Chalk	Bliss	Almond	*Panna 403	*Beige 402	*Pebble 448	*Vanilla 428	*Desert 431
									
Pumice	Taupe	Linen	Orion	Greystone	*Fumo 408	*Sandy 429	*Bruciato 415	*Marroncino 410	*Donkey 436
									
Cyclone	Stone	Nutmeg	Basil	Mandalay 2-Tone	*Biscuit 434	*Sahara 432	*Nocciola 411	*Arancio 412	*Vitamin 433
									
Tuscany	Brandy 2-Tone	Rojo	Deuce	Vino 2-Tone	*Calypso 442	*Red 417	*Allium 435	*Bordeaux 416	*Glicine 450
									
Raisin	Mudcake	Chocolate	Gunbarrel	Nero	*Pansy 449	*Purple 451	*Acqua 422	*Cloudy 438	*Sky 439
									
Harvard Lux	Cobalt	Indigo	Marine	Moss	*Grey 424	*Citrus 430	*Malibu 444	*Mauritius 443	*Emerald 445
									
Forest	Trinity Lux				*Military 446	*Denim 440			

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# RAVELLO

“A versatile leather  
to withstand all  
climatic conditions”

PIGMENTED LEATHER

Introducing the Ravello range, developed as a versatile leather to withstand all climatic conditions and heavy traffic. Featuring a semi matt finish and a soft silky touch, Ravello has superior abrasion and wear resistance. With additional technology, it works to protect against varying temperature, moisture and light, which will assist in reducing fade over time. This leather also can be embossed with 17 different prints or 14 different perforations. It is ideal for use in commercial and residential applications as well as public spaces and wall panelling.



WHEELMARK CERTIFICATION IMO 652



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Bovine
FINISH	Pigmented
SIZE	Average 4.8sq mtrs
THICKNESS	1.1 - 1.3mm
APPLICATION	Commercial / Residential Applications / Hospitality & High Traffic / Public Spaces & Wall Panelling
COLOUR FASTNESS TO RUBBING DRY 1500 CYCLES, WET 300 CYCLES, PERSPIRATION (ISO11640) 100 CYCLES EVALUATION ISO 105-A03 / A04	UNI EN ISO 11640: 1998 ≥ 4
COLOUR FASTNESS TO ARTICIAL LIGHT	UNI EN ISO 105B02 ≥ 4
FINISH ADHESION	ISO 11644 I ≥ 4 N/CM
BURNING BEHAVIOUR	FMVSS 302 I ≤ 100mm/min
TEAR STRENGTH	ISO 3377-1 I ≥ 20 N
TENSILE STRENGTH	ISO 3376 I ≥ 130 N
ARTIFICIAL AGEING - 4 HOURS @70°C	MINIMUM ≥ 4
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.



[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)

# RAVELLO


\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

\*PERFORATION OPTIONS


REQUEST A SAMPLE




\*1215 Frothy



\*1230 Sugar



\*1226 Lace



\*1242 Lino



\*1200 Oyster




\*1223 Cashmere



\*12337 Clay




\*1225 Peanut




\*1221 Cacao



\*1239 Caramello



\*1227 Bali




\*1220 Cinnamon




\*1228 Sunset




\*12343 Arancio




\*1211 Carob



\*1229 Sangria




\*1240 Umber



\*1231 Penny



\*1238 Tomato



\*1210 Autumn



\*1233 Sky



\*1218 Pine



\*1232 Seaweed



\*1234 Adriatic



\*1208 Bravo



\*1241 Flint




\*1235 Foggy



\*1205 Shadow



\*1236 Charcoal



1207 Black

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)





# AMBIENCE

“a subtle metallic leather boasting commercial and domestic applications, sophistication and elegance”

PIGMENTED LEATHER

This range of metallic leather is produced with a natural grain, created only on the best European selected hides with 16 uniquely inspired shades. The Ambience collection has a soft waxy texture with a semi-gloss surface. This finish of leather performs to the highest level of traffic in commercial and domestic applications.

	BLUE ANGEL CERTIFIED		LWG GOLD RATED
TYPE	Bovine		
FINISH	Pigmented (Metallic Effect)		
ORIGIN	European		
SIZE	Average 4.8 - 5.0sq mtrs		
THICKNESS	0.9 - 1.0mm		
APPLICATION	Commercial / Domestic / Wall Panels / Curtains		
FIRE RATING & CERTIFICATION	BS 5852:1979 Match & Cigarette Test BS EN 1021-1:2.2006 Match & Cigarette Test		
FLEXING ENDURANCE	EN ISO 5402 I > 50,000 CYCLES		
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5) I ≥ 4 BLU SCALE		
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640 Dry 500 ≥ 4 Wet 150 ≥ 4 Sweat 80 ≥ 4		
SWEAT ALCALINE SOLUTION	EN ISO 11641 I PH8		
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1 I ≥ 20N		
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.		

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# AMBIENCE

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

EMBOSSING OPTIONS

\*PERFORATION OPTIONS

REQUEST A SAMPLE



\*763 Gunmetal



\*760 Bronze



\* 759 Copper



\* 761 Pewter



\*758 Orchid



\*757 Celeste



\*754 Platinum



\* 765 Graphite



\*750 Antique White



\*753 Bisque



\* 752 Rustic Pearl



\* 751 Linen



\* 762 Sterling



\* 764 Limestone



\*755 Gold Leaf



\* 756 Bullion

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswlmel@leatherco.com.au](mailto:nswlmel@leatherco.com.au)





SEMI ANILINE  
LEATHER

# SOVEREIGN

“is a beautiful soft tanned, waxy semi analine with a natural appearance”

SEMI ANILINE LEATHER

This range of leather is a beautiful soft tanned, waxy Semi Aniline with a natural appearance and is produced on only the best quality hides. Our Sovereign range is available in a multitude of elegant and vibrant colours. It is a full bodied leather thus giving a rich, supple feel. Due to the high end finish on the hides, this leather is very durable and suitable for use in high traffic areas and heavy use commercial and residential applications.



WHEELMARK CERTIFICATION



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Natural Grain Bovine
FINISH	Semi Aniline
ORIGIN	European
SIZE	4.8sq mtrs
THICKNESS	1.2 - 1.4mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	Wheelmark   Blue Angel AS/NZS 1530.3:1999   AS/NZS 3837:1998   IMO 652 ISO 5660.1:2015   BS 5852:1979   BS EN 1021-1-2:2006 UNI EN ISO 9001: 2015 UNI EN ISO 14001:2015   CAL TB – 117 (2013. Sec.1)
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   = 5 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 500 ≥ 4 Wet 250 ≥ 4 Sweat 80 ≥ 4 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
FINISH ADHESION	EN ISO 11644   ≥ 2.0 N/CM
DETERMINATION OF PH DIFFERENCE FIGURE (ONLY FOR PH < 4)	EN ISO 4045 ≥ 3.5
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# SOVEREIGN

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

PERFORATION OPTIONS

REQUEST A SAMPLE



				
*Bianco 301	*Zinco 286	*Plaster 271	*Crushed Ice 276	*Glicine 280
				
*Amianto 208	*Penicillina 253	*Panna 212	*Perla 202	*Cinder 205
				
*Muffa 254	*Tortora 209	*Ostrica 285	*Avorio 201	*Marble 200
				
*Crema 290	*Sand 219	*Giallo Sena 296	*Ciquita 249	*Deserto 220

				
*Lion 221	*Coriander 225	*Cuoio II 297	*Beige II 292	*Creta 214
				
*Daino 213	*Tabacco 215	*Cuoio TC 295	*Siena 216	*Nocciola 226
				
*Cinnemon 222	*Dune 218	*Polenta 250	*Carioca 251	*Giallo TC 287
				
*Peach 243	*Arancio 244	*Claw 246	*Mandarino 245	*Cipria 237
				
*Facepowder 238	*Fondotinta 239	*Fuscia 283	*Cremisi 247	*Rosso 248
				
*Rosso TC 288	*Begonia 240	*Pot Purry 233	*Rosso Antic 232	*Blood 241
				
*Bombay 234	*Vinaccia 242	*Ribes 235	*Aubergine 284	Carrubo 236
				
*Mattone TC 299	*Volcano 252	*Cognak 227	Mattone II 300	*India 223

				
*Cotto 228	*Horse 398	*Marrone TC 289	*Terra Bruci 229	*Chiodo Garo 224
				
*Torba 217	*Braun 299	*Bruno 230	*Castagna 231	*Moro 298
				
*Testa MTC 293	*Grigio 203	*Morning Fog 272	*Lilla 281	*North Pole 277
				
*Lavanda 282	*Lava 273	*Pervinca 278	*Aqua Azul 264	*Maldive 260
				
*Atollo 259	*Cedar Green 261	*Petrolio 267	*Menta 262	*Lichene 265
				
*Ottanio 266	*Polinesia 268	*Turquoise 269	*Pacifico 270	*Cobalto 279
				
*Blu TC 291	*Blu Notte 274	*Deep 275	*Verde Mela 263	*Verde TC 294
				
*Dragoncello 255	*Verde Oliva 256	*Palude 257	*Muschio 258	*Smoke 206
				
*Grey 304	*Graystone 210	*Ferro 204	*Seppia 211	*Black 207

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# MONTE CARLO

“is a range which is bright and colourful, with a beautiful smooth grain texture.”

SEMI ANILINE LEATHER

Flamboyant and exciting is often used to describe Monte Carlo. The name certainly represents this wonderful range of leather. The Monte Carlo range is bright and colourful with a beautiful smooth grain texture, showcasing a huge range of vibrant colours. Boasting extreme versatility due to its high performance finish and full bodied nature, this Semi Aniline Italian leather is suitable for use in all commercial and residential high traffic applications as well as for Auto, Marine and Aviation.



BLUE ANGEL CERTIFIED



LWG GOLD RATED



CARBON FOOTPRINT  
OF PRODUCT



CERTIFICATION OF RAW  
MATERIAL TRACEABILITY

TYPE	Bovine
FINISH	Semi Aniline
ORIGIN	Italian
SIZE	Average 4.8sq mtrs
THICKNESS	1.2 - 1.4mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	Wheelmark AS/NZS 1530.30   AS/NZS 3837-1998 EN ISO 1021-1 & 1021-2 (No Ignition) IMO 652
FLEXING ENDURANCE	ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	ISO 105 B02   ≥ 6 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640 Dry 1000 ≥ 4 Wet 250 ≥ 4 Sweat 250 ≥ 4
SWEAT ALCALINE SOLUTION	EN ISO 11641   PH8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
FINISH ADHESION	EN ISO 11644   ≥ 20 N/CM
DETERMINATION OF PH DIFFERENCE FIGURE (ONLY FOR PH < 4)	EN ISO 4045 ≥ 3.5 ≤ 0.7
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.


[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# MONTE CARLO

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

\*PERFORATION OPTIONS      REQUEST A SAMPLE



*2052	*2192	*2190	*2264	*2024
*2001	*2042	*2272	*2282	*2262
*2172	*2194	*2004	*2212	*2106
*2054	*2214	*2170	*2210	*2064

*2216	*2066	*2038	*2068	*2060
*2062	*2116	*2118	*2044	*2114
*2018	*2124	*2020	*2100	*2048
*2050	*2070	*2202	*2026	*2204
*2122	*2112	*2082	*2034	*2206
*2120	*2284	*2108	*2028	*2080
*2032	*2252	*2090	*2088	*2040
*2126	*2276	*2266	*2280	*2268
*2278	*2176	*2274	*2076	*2184

*2258	*2256	*2222	*2138	*2228
*2230	*2232	*2134	*2260	*2046
*2098	*2012	*2178	*2014	*2016
*2096	*2036	*2056	*2132	*2234
*2130	*2236	*2240	*2242	*2270
*2188	*2128	*2226	*2174	*2182
*2072	*2186	*2074	*2248	*2250
*2102	*2110	*2254	*2140	*2000
*2008	*2058	*2244	*2006	*2002



# CASABLANCA

“is a beautiful soft  
tanned semi analine,  
with a silky touch”

SEMI ANILINE LEATHER

This range of leather is a beautiful soft tanned Semi Aniline, produced on best quality European hides. The appearance has a semi-matt finish to it and when fully upholstered it gives a very smooth and luxurious look. Casablanca is a very durable leather which is good for use in high traffic residential and commercial applications.



TYPE	Natural Grain Bovine
FINISH	Semi Aniline
ORIGIN	European
SIZE	Average 4.6sq mtrs
THICKNESS	0.9 - 1.1mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	Wheelmark   Blue Angel AS/NZS 1530.3-1999   AS/NZS 3837-1998   IMO 652 ISO 5660.1-2015   BS 5852:1979   BS EN 1021-1-2:2006 UNI EN ISO 9001: 2015   FAR A & FAR B (Available Upon Request) Environmental UNI EN ISO 14001:2015 CAL TB – 117 (2013. Sec.1)
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226–1:2008   ISO 17075-2:2017 EN ISO 17234–1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 Cycles
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (Met.5)   ≥ 5 Blu Scale
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 500 ≥ 4 Wet 250 ≥ 4 Sweat 80 ≥ 4 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
FINISH ADHESION	EN ISO 11644   ≥ 2.0 N/Cm
DETERMINATION OF PH DIFFERENCE FIGURE (ONLY FOR PH < 4)	EN ISO 4045 ≥ 3.5
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS



# CASABLANCA

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

PERFORATION OPTIONS

REQUEST A SAMPLE



Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)

**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)





FULL ANILINE  
LEATHER



# SUNDANCE

“is a beautiful rustic full grain leather, finished with oils and waxes.”

FULL ANILINE LEATHER

Sundance is a beautiful rustic full grain leather, finished with oils and waxes which gives this range a very natural appeal. This tannage creates a warm two tone appearance with subtle a pull-up effect. Sundance is produced on best quality European hides. Natural markings and defects may be seen and these hallmarks are part of the character of the leather.




TYPE	Natural Full Grain Bovine
FINISH	Full Aniline
ORIGIN	European
SIZE	Average 4.8sq mtrs
THICKNESS	0.9 - 1.1mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	AS/NZS 1530.3-1999   AS/NZS 3837-1998   BS EN 1021-1-2:2006 BS 5852:1979   UNI EN ISO 14001:2015 ISO 5660.1-2015   UNI EN ISO 9001: 2015
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   ≥ 2 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 50 ≥ 3/4 Wet 20 ≥ 3 Sweat 20 ≥ 3 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# SUNDANCE

REQUEST A SAMPLE



Nero



Haiti



Cuba



Driftwood



Ink



Bark



Brindle



Spruce



Macadamia

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# MURANO

“is an aniline leather  
with rustic warm tones”

FULL ANILINE LEATHER

Murano is an aniline leather with a rustic appearance in a palette of sophisticated warm colour tones. The leather is produced on top quality European hides and is perfect for residential and commercial applications. Nature’s hallmarks of heal scars, growth marks, etc will be on display evident proving the authenticity of this beautiful leather.



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Natural Full Grain Bovine
FINISH	Full Aniline
ORIGIN	European
SIZE	Average 4.8sq mtrs
THICKNESS	0.9 - 1.1mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	AS/NZS 3837:1998   EN ISO 1021-1-2:2006   BS 5852:1979 CAL TB-117 (2013, Sec. 1)   ISO 5660.1-2015 UNI EN ISO 14001:2015   UNI EN ISO 9001: 2015 FAR A & FAR B (Available Upon Request)
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   ≥ 3 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 50 ≥ 3 Wet 20 ≥ 3 Sweat 20 ≥ 3 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# MURANO

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

EMBOSSING OPTIONS

\*PERFORATION OPTIONS

REQUEST A SAMPLE



Sable




Brunswick




Baltic




Onyx



\*Ash 1614




\*Sand 1620




\*Nude 1615




\*Mud 1619



\*Diano 1605



\*Taupe 1606



\*Coffee 1607



\*Kayak 1601



\*Tan 1602




\*Saddle 1613



\*Rust 1603




\*Geranio 1604




Ivory



Sage



\*Blackberry 1608



\*Light Sage 1609



\*Ceruleo 1611



\*Nocturne 1612



Cement



Tan



\*Lavagna 1617



\*Grey 1616



\*Moro 1621



\*Blank Ink 1618

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswlmel@leatherco.com.au](mailto:nswlmel@leatherco.com.au)



# LAGUNA

“is a very unique  
Aniline with an aged  
pull-up effect to it.”

FULL ANILINE LEATHER

The Laguna range of leathers is a very unique Aniline with an aged pull-up effect to it. The finish of this leather creates a very rustic aged look which gives a beautiful vintage expression to any environment. This range is produced on top quality European hides. The Laguna is suitable for use in Domestic and Commercial applications.

 BLUE ANGEL CERTIFIED

 LWG GOLD RATED

TYPE	Natural Full Grain Bovine
FINISH	Full Aniline Pull Up
ORIGIN	European
SIZE	Average 4.8sq mtrs
THICKNESS	0.9 - 11mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	AS/NZS 1530.3:1999   AS/NZS 3837:1998 EN ISO 1021-1 & 1021-2   UNI EN ISO 9001: 2015 Environmental UNI EN ISO 14001:2015 ISO 5660.1-2015   BS 5852:1979   BS EN 1021-1-2:2006
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 Cycles
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (Met.5)   ≥ 3 Blu Scale
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 50 ≥ 3 Wet 20 ≥ 3 Sweat 20 ≥ 2 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# LAGUNA

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)


EMBOSSING OPTIONS

\*PERFORATION OPTIONS


REQUEST A SAMPLE



Willow




Biscotto



Pecan



Cafe



Cypress



Emerald



Sesame



Oak



Cedar




Hermitage




Notte



Blackwood



\*Cobblestone 2001




\*Maple 2005



\*Cognac 2008



\*Rust 2009



\*Brown 2006



\*French Blue 2011



\*Celery 2010

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswlmel@leatherco.com.au](mailto:nswlmel@leatherco.com.au)



# REGAL

“has a subtle two-tone finish revealing rich tones that provide this article with prestige and charm.”

FULL ANILINE LEATHER

This range of leather is finished using vacuum dryers together with oils and waxes. This treatment gives the leather its unique two-tone finish with a ‘pull up’ effect that provides this article with prestige and charm. Regal is produced on full grain best quality European hides with a waxy smooth touch and a bright aniline appearance. This aniline finish means the natural markings and defects of the hide may be evident and this is understood to be a part of the character of the leather.



TYPE	Natural Full Grain Bovine
FINISH	Full Aniline Pull Up
ORIGIN	European
SIZE	Average 4.8sq mtrs
THICKNESS	0.9 - 1.1mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	BS EN 1021-1-2:2006   BS 5852:1979 AS/NZS 3837-1998 ISO 5660- 1 - 2015   UNI EN ISO 9001: 2015 UNI EN ISO 14001:2015   IMO A 652 CAL TB-117 (2013, Sec.1)
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	ISO 17226 –1:2008 ISO 17075-2:2017 ISO 17075-2:2017
FLEXING ENDURANCE	EN ISO 5402   > 50,000 Cycles
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (Met.5)   ≥ 2 Blu Scale
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 50 ≥ 3/4 Wet 20 ≥ 3 Sweat 20 ≥ 3 EN ISO 11641   Ph8
TEAR STRENGTH, SINGLE EDGE TEAR	EN ISO 3377-1   ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS



# REGAL

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

EMBOSSING OPTIONS

\*PERFORATION OPTIONS

REQUEST A SAMPLE



\*Perla 817



\*Sand 814



\*Red 803



\*Red Fire 820




\*Torrone 827



\*Solis 819



\*Arancio 809



\*Cuoio 835



\*Chestnut 805




\*Rust 802



\*Siena 801



\*Burgundy 808




\*Ebano 811




\*Baobab 810




\*Mogano 804




\*Anthracite 822




\*Bianco 818




\*Polvere 833



\*Cemento 824




\*Dark Brown 806



\*Nero 807



\*Cobalto 831



\*Panna 834



\*Chic 823




\*Braies 832



\*Taupe 825



\*Celeste 830



\*Green 812



\*Peacock 829



\*Seasalt 826



\*Fir 821

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# PANAMA

“pure aniline natural leather”

FULL ANILINE LEATHER

Panama is pure aniline natural leather and is produced on the finest European raw material. Utilising natural oils and waxes in the drum, this leather produces a classic transparent finish with a slight pull up effect. Mineral tanned and Environmentally friendly this leather will last and age forever. Natural hallmarks in the leather and colour variation may be seen and illustrate the authenticity and purity of the leather. The Panama is suitable for use in both Domestic and Commercial applications.



TYPE	Natural Full Grain Bovine
FINISH	Aniline
ORIGIN	European
SIZE	Average 4.8sq mtrs
THICKNESS	1.2 - 1.4mm
APPLICATION	Commercial / Domestic - Upholstery, Wall Panels & Curtains
FIRE RATING & CERTIFICATION	EN ISO 1021-1-2:2006   BS 5852:1979   CAL TB-117 (2013, Sec. 1) UNI EN ISO 14001:2015   UNI EN ISO 9001: 2015
COMPLIANCE TO CHEMICAL COMPOSITION (R.E.A.C.H)	SO 17226 –1:2008   ISO 17075-2:2017 EN ISO 17234 -1:2010
FLEXING ENDURANCE	EN ISO 5402   > 50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   ≥ 2 BLU SCALE
COLOUR FASTNESS TO AND FRO RUBBING	EN ISO 11640:1998 Dry 50 ≥ 3
TEAR STRENGTH, SINGLE EDGE TEAR	TEAR EN ISO 3377-1   ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# PANAMA

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

EMBOSSING OPTIONS

\*PERFORATION OPTIONS

REQUEST A SAMPLE




\*Taupe 1502



\*Cognac 1503



\*Saddle 1501




\*Dark Brown 1504




\*Oxblood 1507




\*Orange 1506



\*Black 1508



\*Black 1508



\*Blue Nocturne 1509

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# NORFOLK

“is a fine textured Nubuck with an aged effect.”

FULL ANILINE LEATHER

Finished by hand, Norfolk incorporates a vintage distressed look with a natural texture. Norfolk is produced on best quality European hides, low traffic commercial and residential applications. All defects and variation in colour within the hide and from hide to hide, are part of its natural allure. These are an intrinsic part of the leather and not considered as a fault.



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Nubuck
FINISH	Distressed Vintage Effect
ORIGIN	European
SIZE	Average 4.8 - 5.0sq mtrs
THICKNESS	0.9 - 1.1mm
APPLICATION	Low Traffic Commercial / Domestic / Curtains
FLEXING ENDURANCE	ISO 5402   50,000 CYCLES
COLOUR FASTNESS TO LIGHT	EN ISO 105 B02 (MET.5)   5 BLU SCALE ≥ 3
WET RUBBING	UNI EN ISO 11640   20 cycles - 3 grey scale
DRY RUBBING	UNI EN ISO 11640   50 cycles grey scale ¾
PERSPIRATION RUBBING	UNI EN ISO 11640   20 cycles - 3 grey scale
BURNING BEHAVIOUR TO CIGARETTE & MATCH FLAME	BS5852: 1979 BS EN1021-1-2: 2006 Pass
TEAR STRENGTH	ISO 3377-1   ≥ 20 N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.


[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# NORFOLK

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

\*PERFORATION OPTIONS      REQUEST A SAMPLE




\*Tan 4023



\*Yam 4022



\*Liz 4015



\*Cardinal 4016



\*Tormalina 4020



\*Aloe 4017



\*Light 4011



\*Nuage 4014



\*Mango 4030



\*Sky 4012



\*Pacific 4021



\*Birch 4018



\*Papyrus 4010



\*Terra 4003



\*Cuoio 4001



\*Old Copper 4024



\*Cabone 4004



\*Conifer 4013



\*Ciment 4009



\*Camel 4025




\*Cioccolato 4002



\*Antilope 4019



\*Milk Chocolate 4029



\*Antracite 4027



\*Grigio 4007



\*Pietra 4028

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



# NUBUCK

“soft, velvet touch  
and natural appearance,  
sophisticated and elegant.”

FULL ANILINE LEATHER

Nubuck is an Aniline leather with a rich texture and beautiful soft touch, and offers great comfort. The possible presence of any imperfections, testify the authenticity and the natural look of a pure European aniline leather. Being an aniline leather, there will be variation in colour from delivery to delivery.



BLUE ANGEL CERTIFIED



LWG GOLD RATED

TYPE	Nabuk Finish / Natural Grain
FINISH	Aniline Dyed / Suede Finish
ORIGIN	European
SIZE	Aniline Dyed / Suede Finish
THICKNESS	1.2 - 1.4mm
APPLICATION	Low Traffic / Commercial / Domestic / Curtains
COLOUR FASTNESS TO ARTIFICIAL LIGHT	UNI EN ISO 105 B02 I ≥ 2 Blu Scale
COLOUR FASTNESS TO RUBBING	UNI EN ISO 11640:1998 DRY 50 ≥ 3 UNI EN ISO 11640:1998 WET 10 ≥ 3
TEAR STRENGTH	UNI EN ISO 3377-1 I ≥ 20N
CARE INSTRUCTIONS	Vacuum regularly with soft brush. Use a damp white cloth that is colourfast and wipe regularly. Do not use detergents, solvents, abrasives. Protect from direct sunlight and heat sources. Avoid sharp objects.

[VIEW ENVIRONMENTAL ACCREDITATIONS & FULL SPECIFICATION DETAILS](#)



# NUBUCK

\* INDICATES INDENT COLOURS  
(ALSO AVAILABLE IN PERFORATION)

\*PERFORATION OPTIONS      REQUEST A SAMPLE



\*1705 Chalk



\*1716 Doeskin



\*1709 Caramel



\*1718 Nude



\*1714 Lucky



\*1704 Chocolate Forest



\*1706 Concrete



\*1719 Kangaroo



\*1715 Elefant



\*1720 Vision



\*1707 Duck Bill



\*1708 Cuoio



\*1717 Dream



\*1710 Plomo



\*1701 Caqui



\*1721 Ematite



\*1703 True Blue



\*1713 Ardesia



\*1702 Emerald



\*1712 Grafite



\*1711 Cenere

Colour variations can be expected to occur within each hide, from hide to hide and from batch to batch.

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nsw@leatherco.com.au](mailto:nsw@leatherco.com.au)  
**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswmel@leatherco.com.au](mailto:nswmel@leatherco.com.au)



The background is a solid light beige color. Overlaid on this are several organic, flowing shapes in a slightly darker shade of beige. These shapes are positioned primarily on the left side of the image, with one large shape extending from the top left towards the center, and another smaller shape below it. The overall effect is minimalist and modern.
















# SPECIALITY DESIGNS



# PERFORATION OPTIONS AVAILABLE


All indent leathers can be printed in these 14 different perforated designs.

- Perforation is done on half hides as the machine only perforates this width.
- Please note there will be some overlapping when printed.
- Black Daytona Perforation F608 is kept in stock. All other colours are indent and require minimum orders of 1 hide (as noted as 2 Half Hides).
- Perforation can be done on any indent leather.\*
- An additional 2 weeks plus freight time to Australia to receipt the hides.
- Minimum order of 1 Hide. (which =2 half hides)
- You cannot do half perforated / half smooth hides.
- Perforations 301, 302 & 402 are only embossed or stamped and don't penetrate all the way through.


(mm, scale 1:1)	Distance/Dimension (Mm, Scale 1:1)	Composition (Mm, Scale 1:1)
	 Diam: 1	
*410		
	 Diam: 0,8	
*508		
	 Diam: 1	
*510		
	 Diam: 0,8	
*608		
	 Diam: 1,6	
*616		




(mm, scale 1:1)



Distance/Dimension  
(Mm, Scale 1:1)





Composition  
(Mm, Scale 1:1)




\*105

Dim: 2art. 107,40










\*42

Dim: 2x2










\*1512

Diam: 1,2










\*2512

Diam: 1,2









\*358

Diam: 0,8


(mm, scale 1:1)



Distance/Dimension  
(Mm, Scale 1:1)





Composition  
(Mm, Scale 1:1)




\*808

Diam: 0,8










\*301

Punta piatta










\*302

Punta tonda







\*402

Punta tonda




# AVAILABLE EMBOSSED EFFECTS

Embossed effects shown are available across the indent colour ranges below.




AMBIENCE MURANO LAGUNA REGAL PANAMA RAVELLO

- 1 hide minimum purchase requirement.
- There are 17 embossed effects.
- These are done on whole hides with the print plate as per the diagram below.
- The dimension of the print plate are 105 x 110 cm and the hides are printed across from the spine towards the sides, keeping the plate horizontal as per the image below. There may be repeat lines.
- An additional 2 weeks plus freight time to Australia to receipt the hides.



PRINTING PLATE CONFIGURATION







NSW LEATHER CO. PTY LTD

**SYDNEY HEAD OFFICE** - 16 Anderson Street, Banksmeadow, NSW 2019 | P: +61 2 9355 3600 | F: +61 2 9355 3660 | E: [nswl@leatherco.com.au](mailto:nswl@leatherco.com.au)

**MELBOURNE** - 107-109 Sackville Street, Collingwood, VIC 3066 | P: +61 3 9417 3466 | F: +61 3 9416 1514 | E: [nswlmel@leatherco.com.au](mailto:nswlmel@leatherco.com.au)

[LEATHERCO.COM.AU](http://LEATHERCO.COM.AU)